


ercol

3031/3034 BELLINGDON
CABINETS




Thank you for purchasing this Bellingdon Cabinet. Please ensure instructions are read in full before attempting to fit the handles on this product.

PREPARATION

This is a one person operation



Tools you will need



Please check the pack contents before attempting to wall mount this product. A full checklist of components is given in this leaflet. If any components are missing, please contact the retailer from whom you bought this product.


This product is **HEAVY**, it should be unpacked as near as possible to the point of use.

TAKE CARE WHEN LIFTING to avoid personal injury and (or) damage to the product.

The product contains **SMALL ITEMS** which should be **KEPT AWAY FROM YOUNG CHILDREN**.


Read this leaflet in full before commencing installation.

Fittings and parts checklist


A	M4 x 23mm Fixing Screw x 2 or 4 depending on number of doors (These are already attached to the unit)	
B	Handle x 2 or 4 depending on number of doors (These are already attached to the unit)	

Bellingdon Cabinet handle fitting instructions


1. For safe transportation the handles have been attached to the doors the wrong way round. To correctly attach the handles to the unit firstly unscrew the handle on the inside of the doors.



2. Position the handle on the outside of the door and insert the screw from the inside.



3. Using a screwdriver (not included) tighten the handle in place. Repeat with remaining handles.



Customer Care

For all customer care queries please contact John Lewis Partnership on 03456 049 049.

Wood Furniture

Wood displays different grain patterns depending on which way it is cut. These are characteristics of the natural beauty of the wood. All timber surfaces will change colour and mellow over time.

Safety Instructions

Never drag furniture when moving it, always lift it. Take care when handling or moving the furniture as careless handling may cause damage or injury. No liability will be accepted for damage or injury caused by incorrectly installed furniture.

Fabric Care

Every effort is made to keep colours consistent between batches, but fabric manufacturers cannot guarantee exact matching. All fabrics will fade in sunlight, to prolong the life of the fabric do not place it close to a heat source or in direct sunlight. Plump up cushions after use, especially fibre or feather cushions. If the cushions are reversible turn them at least once a week to minimise wear and maintain their appearance. To prevent dust and dirt accelerating wear, gently vacuum upholstery once a week or use a soft brush. For complete cleaning we recommend a specialist cleaning in situ. Accidental spills and stains should be treated as soon as possible, except mud which should be left to dry and then brushed off. Remove any solids, then blot up as much liquid as possible with white paper towel or a clean cloth. We recommend professional dry cleaning but some action can limit damage.